

INTRODUCTION

- **Practical information**
- What will you learn in this course?
- Examples of applications of digital image analysis
- Repetition of key material from INF2310

Fritz Albrechtsen 26.08.2015

- **Fritz Albrechtsen**
 - IFI/UiO (Fourth floor, room 4459, OJD building)
 - Telephone: 22852463
 - Email: fritz@ifi.uio.no
- **Anne Schistad Solberg**
 - IFI/UiO (Fourth floor, room 4458, OJD building)
 - Telephone: 22852435
 - Email: anne@ifi.uio.no
- **Ole Marius Hoel Rindal**
 - IFI/UiO (Fourth floor, room 4466, OJD building)
 - Email: omrindal@student.matnat.uio.no

Practical information - Schedule

- **Lectures**
 - **Fritz Albrechtsen and Anne Schistad Solberg**
 - When: Wednesday 10:15-12:00.
 - Where: "Caml", OJD 3438 (IF12)
- **Exercises**
 - **Ole Marius Hoel Rindal**
 - **Group 1:**
 - When: Thursday 14:15-16:00. First time 03.09.2015
 - Where: "Modula" (2443), OJD (IF12)

Web page

- <http://www.uio.no/studier/emner/matnat/ifi/INF4300/>
 - Information about the course
 - Lecture plan
 - Lecture notes
 - Exercise material
 - Course requisite description
 - Exam information
 - Messages

Course material

- All foils will be made available on the course web site.
- The foils define the course requisites.
- Exercises will be introduced as we go along.

- No books defining all course requisites
 - Gonzalez & Woods: Digital Image Processing, 3rd ed., 2008.
 - + additional material

Exercises

- The ordinary weekly exercises are NOT obligatory.
 - Probably a good idea to do them anyway ☺
 - The ordinary exercises can be solved in any programming language, solutions will be provided in Matlab.

- Mandatory exercises (“term project”)
 - Two parts (October & November)
 - Individual work

Exam

- Written exam (4 hours), December 4, 09:00-13:00

- No written sources of information allowed at exam

- Follow the web page for updates on the exam.

Term project

- Sadly, we see plagiarism and cheating on term papers, but the reaction may be severe.
- Therefore you should read the following document:
<http://www.mn.uio.no/ifi/studier/admin/obliger/> (in Norwegian)
Please notice routines on cheating and plagiarism!

- Using available source code and applications is **perfectly OK** and will be **credited** as long as the origin is cited

- The term project is **individual** work, and the handed in result should clearly be your own work

Lecture plan

August	24	25	26	27	28	29	30	Introduction and preliminaries	Fritz
September	31	01	02	03	04	05	06	Features from images, Texture	Fritz
	07	08	09	10	11	12	13	Local to global: Hough Transform	Fritz
	14	15	16	17	18	19	20	Region and edge based segmentation	Fritz
	21	22	23	24	25	26	27	Object representation	Fritz
October	28	29	30	01	02	03	04		
	05	06	07	08	09	10	11	Object description	Anne
	12	13	14	15	16	17	18	Classification I	Anne
	19	20	21	22	23	24	25	Classification II	Anne
	26	27	28	29	30	31	01	Classification III	Anne
November	02	03	04	05	06	07	08	Mathematical morphology	Anne
	09	10	11	12	13	14	15	Previous exams on exercises	Anne / Fritz
	16	17	18	19	20	21	22	Course summary	Fritz / Anne


F1 26.08.15

INF 4300

9

What is image analysis ?

- **Image analysis** is the art and science whose ultimate goal is to give computers "*vision*"
 - Read handwritten documents
 - Recognize people
 - Find objects
 - Measure the world in 3D
 - Guide robots
 - Decision support (e.g. medical)
- **Image processing** is often used in the more limited sense of *simple image manipulations*:
 - Removing noise
 - Changing contrast
 - Improving edges
 - Coding and compression





F1 26.08.15

INF 4300

10

From pixels to features to class

- Objects often correspond to regions. We need the spatial relationship between the pixels.
- For text recognition: the information is in the shape, not in the gray levels.
- Classification: learn features that are common for one type of objects.



F1 26.08.15

INF 4300

11

Applications of image analysis ...


- Medical applications, e.g., ultrasound, MR, cell images
- Industrial inspection
- Traffic surveillance
- Text recognition, document handling
- Coding and compression
- Biometry
 - identification by face recognition, fingerprint or iris
- Earth resource mapping by satellite images
- Sea-bed mapping (sonar)
- Mapping of oil reservoirs (seismic)

F1 26.08.15

INF 4300

12

EXAMPLE: OIL-SPILL DETECTION




F1 26.08.15

INF 4300

13

EXAMPLE: TISSUE CLASSIFICATION IN MR IMAGES



F1 26.08.15

INF 4300

14

Weed recognition in precision farming

- Detect and recognize invasive weed species in cereal fields
- Classify weeds in real time to enable on-line control of herbicide spray
- Largely unsolved problem, potential huge savings in weed control costs (commercial potential!)




F1 26.08.15

INF 4300

15

Smart video surveillance

- Detect and classify events in real-time in surveillance video
- Track objects and alert if humans enter no-go-zones
- Outdoor imagery is challenging, wind, weather and sun causes large changes in scene



F1 26.08.15

INF 4300

Tracking and classification of objects

Challenges:

- Objects may be poorly segmented or occluded, so shape or appearance models may be useless
- One blob may contain several objects

Solutions:

- Analyze motion patterns within blobs (decide object class)
- Detect heads, arms and other human parts (decide number of objects within blob)




F1 26.08.15

INF 4300

17

Automatic fish segmentation

- Pick single fish from underwater video of a fish farm
- Estimation of fish statistics
 - Size (for weight estimates)
 - Motion
- Challenges:
 - Illumination varies
 - Seawater murky, food / particles
 - No contrast
 - Fish overlap
 - Fish may swim in any direction
- Solution:
 - Active contours, initialized with a fish-shape
 - Use information from two cameras



F1 26.08.15

INF 4300

18

INF2310 – a brief repetition

- See <http://www.uio.no/studier/emner/matnat/ifi/INF2310/v14/undervisningsplan.xml>

Topics covered in the course:

- Image representation, sampling and quantization.
- Compression and coding
- Color imaging
- Grey-level mapping
- Geometrical operations

Assumed known

- Filtering and convolution in the image domain
- Fourier transform
- Segmentation by thresholding
- Edge detection

Good understanding needed

F1 26.08.15

INF 4300

19

2-D convolution

- The resulting image $g(x,y)$ is given by

$$g(x,y) = \sum_{j=-w_1}^{w_1} \sum_{k=-w_2}^{w_2} h(j,k) f(x-j, y-k)$$

$$= \sum_{j=x-w_1}^{x+w_1} \sum_{k=y-w_2}^{y+w_2} h(x-j, y-k) f(j,k)$$

- h is a $m \times n$ filter with size $m=2w_1+1$, $n=2w_2+1$
- The result is a weighed sum of the input pixels surrounding pixel (x,y) . The weights are given by $h(j,k)$.
- The pixel value of the next pixel in the out image is found by moving the filter one position and computing again.

F1 26.08.15

INF 4300

20

Separable filters

- Geometrical shapes: rectangular and square
- Rectangular mean filters are separable.

$$h(i, j) = \frac{1}{25} \begin{bmatrix} 1 & 1 & 1 & 1 & 1 \\ 1 & 1 & 1 & 1 & 1 \\ 1 & 1 & 1 & 1 & 1 \\ 1 & 1 & 1 & 1 & 1 \\ 1 & 1 & 1 & 1 & 1 \end{bmatrix} = \frac{1}{25} [1 \ 1 \ 1 \ 1 \ 1] * \begin{bmatrix} 1 \\ 1 \\ 1 \\ 1 \\ 1 \end{bmatrix}$$

- Advantage: fast filtering

Non-uniform low pass filters

- 2D Gauss-filter:

$$h(x, y) = \exp\left(-\frac{(x^2 + y^2)}{2\sigma^2}\right)$$

- Parameter σ is standard deviation (width)
- Filter size must be set relative to σ


Digital gradient operators

- The gradient of $f(x)$ is $\lim_{h \rightarrow 0} \frac{f(x+h) - f(x)}{h}$

- The gradient of an image:

$$\nabla f = \left[\frac{\partial f}{\partial x}, \frac{\partial f}{\partial y} \right]$$

- The gradient points in the direction of most rapid intensity change



Gradient operators

- Prewitt-operator

$$H_x(i, j) = \begin{bmatrix} 1 & 0 & -1 \\ 1 & 0 & -1 \\ 1 & 0 & -1 \end{bmatrix} \quad H_y(i, j) = \begin{bmatrix} -1 & -1 & -1 \\ 0 & 0 & 0 \\ 1 & 1 & 1 \end{bmatrix}$$

- Sobel-operator

$$H_x(i, j) = \begin{bmatrix} 1 & 0 & -1 \\ 2 & 0 & -2 \\ 1 & 0 & -1 \end{bmatrix} \quad H_y(i, j) = \begin{bmatrix} -1 & -2 & -1 \\ 0 & 0 & 0 \\ 1 & 2 & 1 \end{bmatrix}$$

- Frei-Chen-operator

$$H_x(i, j) = \begin{bmatrix} 1 & 0 & -1 \\ \sqrt{2} & 0 & -\sqrt{2} \\ 1 & 0 & -1 \end{bmatrix} \quad H_y(i, j) = \begin{bmatrix} -1 & -\sqrt{2} & -1 \\ 0 & 0 & 0 \\ 1 & \sqrt{2} & 1 \end{bmatrix}$$

Gradient direction and magnitude

- Horizontal edge component:
 - Compute $g_x(x,y) = H_x * f(x,y)$
 - => Convolve with the horizontal filter kernel H_x
- Vertical edge component:
 - Compute $g_y(x,y) = H_y * f(x,y)$
 - => Convolve with the vertical filter kernel H_y

The **gradient direction** is given by:

$$\theta = \tan^{-1} \left(\frac{\partial f / \partial y}{\partial f / \partial x} \right)$$

The **edge strength** is given by the gradient **magnitude**

$$\|\nabla f\| = \sqrt{\left(\frac{\partial f}{\partial x}\right)^2 + \left(\frac{\partial f}{\partial y}\right)^2}$$


F1 26.08.15

INF 4300

25

Edge extraction

- Several basic edge extraction techniques were taught in INF2310
- In this context edges are both edges in intensity, color and texture
- Edges are important for many reasons:
 - Much of the information in an image is contained in the edges. In many cases semantic objects are delineated by edges
 - We know that biological visual systems are highly dependent on edges



F1 26.08.15

INF 4300

26

Edge extraction

- The standard operator is the so called Sobel operator.
- In order to apply Sobel on an image you convolve the two x- and y-direction masks with the image:

-1	-2	-1
0	0	0
1	2	1

-1	0	1
-2	0	2
-1	0	1


F1 26.08.15

INF 4300


27

Edge extraction - Sobel

- This will give you two images, one representing the horizontal components of the gradient, one representing the vertical component of the gradient.
- Thus using Sobel you can derive both the local gradient magnitude and the gradient direction.



Grayscale image



Horizontal edges

F1 26.08.15

INF 4300

28

Edge extraction - Laplace

- Another frequently used technique for edge detection is based on the use of discrete approximations to the *second derivative*.
- The *Laplace operator* is given by


$$\nabla^2(f(x, y)) = \frac{\partial^2 f}{\partial x^2} + \frac{\partial^2 f}{\partial y^2}$$

- This operator changes sign where $f(x, y)$ has an inflection point, it is equal to zero at the exact edge position


Edge extraction - Laplace

- Approximating second derivatives on images as finite differences gives the following mask

$$\begin{aligned}\nabla^2(f(x, y)) &= \frac{\partial^2 f}{\partial x^2} + \frac{\partial^2 f}{\partial y^2} \\ &\approx -f(x-1, y) + 2f(x, y) - f(x+1, y) \\ &\quad - f(x, y-1) + 2f(x, y) - f(x, y+1)\end{aligned}$$




0	-1	0
-1	4	-1
0	-1	0



Edge extraction - LoG

- Since the Laplace operator is based on second derivatives it is extremely sensitive to noise.
- To counter this it is often combined with Gaussian pre-filtering in order to reduce noise.
- This gives rise to the so called Laplacian-of-Gaussian (LoG) operator.



Sinusoids in images

$$f(x, y) = 128 + A \cos\left(\frac{2\pi(ux + vy)}{N} + \phi\right)$$


A - amplitude
u - horizontal frequency
v - vertical frequency
 ϕ - phase



A=50, u=10, v=0



A=20, u=0, v=10



A=50, u=10, v=10



A=100, u=5, v=10



A=100, u=15, v=5

Note: u and v are the number of cycles (horizontally and vertically) in the image

2-D Discrete Fourier transform (DFT)

$f(x,y)$ is a pixel in a $N \times M$ image

Definition:

$$F(u,v) = \frac{1}{MN} \sum_{x=0}^{M-1} \sum_{y=0}^{N-1} f(x,y) e^{-j2\pi(ux/M + vy/N)}$$

$$e^{j\theta} = \cos \theta + j \sin \theta$$

This can also be written:

$$F(u,v) = \frac{1}{MN} \sum_{x=0}^{M-1} \sum_{y=0}^{N-1} f(x,y) [\cos(2\pi(ux/M + vy/N)) - j \sin(2\pi(ux/M + vy/N))]$$

Inverse transform:


$$f(x,y) = \sum_{u=0}^{M-1} \sum_{v=0}^{N-1} F(u,v) e^{j2\pi(ux/M + vy/N)}$$

F1 26.08.15

INF 4300

33

Example – oriented structure



F1 26.08.15

INF 4300

34

The convolution theorem

$$f(x,y) * h(x,y) \Leftrightarrow F(u,v) \cdot H(u,v)$$

Convolution in the image domain
 \Leftrightarrow
Multiplication in the frequency domain

$$f(x,y) \cdot h(x,y) \Leftrightarrow F(u,v) * H(u,v)$$



Multiplication in the image domain
 \Leftrightarrow
Convolution in the frequency domain

F1 26.08.15

INF 4300

35

How do we filter out this effect?



F1 26.08.15

INF 4300

36

The "ideal" low pass filter





FIGURE 4.40 (a) Perspective plot of an ideal low-pass filter transfer function. (b) Filter displayed as an image. (c) Filter radial cross section.

Example - ideal low pass



Original


$D_0=0.2$

$D_0=0.3$

Look at these image in high resolution.
You should see ringing effects in the two rightmost images.

What causes the ringing effect?

Ideal lowpass in the image domain



fft of $H(u, v)$
for ideal lowpass



1D profile
for ideal lowpass

- Note that the filter profile has negative coefficients
- It has similar profile to a Mexican-hat filter (Laplace-of-Gaussian)
- The radius of the circle and the number of circles per unit is inversely proportional to the cutoff frequency
 - Low cutoff gives large radius in image domain

Butterworth low pass filter

- Window-functions are used to reduce the ringing effect.
- Butterworth low pass filter of order n :

$$H(u, v) = \frac{1}{1 + [D(u, v) / D_0]^{2n}}$$

- D_0 describes the point where $H(u, v)$ has decreased to half of its maximum
 - Low filter order (n small): $H(u, v)$ decreases slowly: Little ringing
 - High filter order (n large): $H(u, v)$ decreases fast: More ringing
- Other filters can also be used, e.g.: Gaussian, Bartlett, Blackman, Hamming, Hanning

Gaussian lowpass filter




FIGURE 4.47 (a) Perspective plot of a GLPF transfer function. (b) Filter displayed as an image. (c) Filter radial cross sections for various values of D_0 .

High pass filtering

- Simple ("Ideal") high pass filter:

$$H_{hp}(u, v) = \begin{cases} 0, & D(u, v) \leq D_0, \\ 1, & D(u, v) > D_0. \end{cases}$$

or

$$H_{hp}(u, v) = 1 - H_{lp}(u, v)$$

- Butterworth high pass filter:

$$H_{hpB}(u, v) = \frac{1}{1 + [D_0 / D(u, v)]^{2n}}$$

- Gaussian high pass filter:

$$H_{hpG}(u, v) = 1 - e^{-D^2(u, v)/2D_0^2}$$

Ideal, Butterworth and Gaussian highpass





FIGURE 4.52 Top row: Perspective plot, image representation, and cross section of a typical ideal highpass filter. Middle and bottom rows: The same sequence for typical Butterworth and Gaussian highpass filters.

Example – Butterworth highpass



a b c

FIGURE 4.55 Results of highpass filtering the image in Fig. 4.41(a) using a BHPF of order 2 with $D_0 = 30, 60,$ and 160 , corresponding to the circles in Fig. 4.41(b). These results are much smoother than those obtained with an IHPF.

Bandpass and bandstop filters

- Bandpass filter: Keeps only the energy in a given frequency band $\langle D_{\text{low}}, D_{\text{high}} \rangle$ (or $\langle D_0 - W/2, D_0 + W/2 \rangle$)
- W is the width of the band
- D_0 is its radial center.
- Bandstop filter: Removes all energy in a given frequency band $\langle D_{\text{low}}, D_{\text{high}} \rangle$

Bandstop/bandreject filters

- Ideal

$$H_{bs}(u, v) = \begin{cases} 1 & \text{if } D(u, v) < D_0 - \frac{W}{2} \\ 0 & \text{if } D_0 - \frac{W}{2} \leq D(u, v) \leq D_0 + \frac{W}{2} \\ 1 & \text{if } D(u, v) > D_0 + \frac{W}{2} \end{cases}$$


- Butterworth

$$H_{bsB}(u, v) = \frac{1}{1 + \left[\frac{D(u, v)W}{D^2(u, v) - D_0^2} \right]^{2n}}$$

- Gaussian

$$H_{bsG}(u, v) = 1 - e^{-\frac{1}{2} \left[\frac{D^2(u, v) - D_0^2}{D(u, v)W} \right]^2}$$


An example of bandstop filtering



Bandpass filters

- Are defined by

$$H_{bp}(u, v) = 1 - H_{bs}(u, v)$$




Original

Result after bandpass filtering

Segmentation and thresholding

- Segmentation
 - Function that labels each pixel in input image with a group label
 - Usually “foreground” and “background”
 - Each group shares some common properties
 - Similar color
 - Similar texture
 - Surrounded by the same edge
- Thresholding
 - One way of segmentation is by defining a threshold on pixel intensity



F1 26.08.15

INF 4300

49

Segmentation and thresholding



Remember, regions that have semantic importance do not always have any particular local visual distinction.

F1 26.08.15

INF 4300

50

Segmentation and thresholding

- The only segmentation method taught in INF2310 was thresholding.
- Thresholding is a transformation of the input image f to an output (segmented) image g as follows:

$$g(i, j) = \begin{cases} 1, & f(i, j) \geq T \\ 0, & f(i, j) < T \end{cases}$$

- Many variants of the basic definition ...

F1 26.08.15

INF 4300

51

Segmentation and thresholding

- This seemingly simple method must be used with care:
 - How do you select the threshold, manually or automatically?
 - Do you set a threshold that is global or local (on a sliding window or blockwise)?
 - Purely local method, no contextual considerations are taken
- Automatic threshold selection will be covered later
 - Otsu's method
 - Ridler-Calvard's method
- Local thresholding methods will also be covered
 - Local applications of Otsu and Ridler-Calvard
 - Niblack's method


F1 26.08.15

INF 4300

52

Segmentation and thresholding

- Remember that you normally make an error performing a segmentation using thresholding:



F1 26.08.15

INF 4300

53

Segmentation and thresholding

- Assume that the histogram is the sum of two distributions $b(z)$ and $f(z)$, b and f are the normalized background and foreground distributions respectively, and z is the gray level.
- Let B and F be the prior probabilities for the background and foreground ($B+F=1$).
- In this case the histogram can be written

$$p(z) = Bb(z) + Ff(z).$$

F1 26.08.15

INF 4300

54

Segmentation and thresholding

- The total thresholding error will be:

$$E(t) = F \int_{-\infty}^t f(z) dz + B \int_t^{\infty} b(z) dz$$

- Using Leibnitz's rule for derivation of integrals and by setting the derivative equal to zero you can find the optimal value for t :

$$\frac{E(t)}{dt} = 0 \Rightarrow Ff(T) = Bb(T)$$

F1 26.08.15

INF 4300

55

Segmentation and thresholding

$$\frac{E(t)}{dt} = 0 \Rightarrow Ff(T) = Bb(T)$$

- This is a general solution.
- Does not depend on the type of distribution.
- In the case of f and b being Gaussian distributions, it is possible to solve the above equation explicitly.

F1 26.08.15

INF 4300

56

Segmentation and thresholding

- In INF2310 we briefly introduced two methods (Ridler-Calvard and Otsu) for determining segmentation thresholds automatically.
- Region- and edge-based methods will be covered in detail in the INF4300 lectures.

Exercise & next lecture

- Exercise: Practical use of Matlab, see web page.
- Next lecture: Features from images – Texture.