IN5550: Neural Methods in Natural Language Processing
Sub-lecture 5.2
Deep learning and language models

Andrey Kutuzov, Roxana Pop

University of Oslo




Contents



1. New way: neural language modeling
   - Feedforward neural LM
   - Modern LMs
2. Benefits and shortcomings


New way: neural language modeling

- Neural LM model proposed in [Bengio et al., 2003]:
- concatenate learned embeddings of the previous k words;
- this concatenation is fed into a feed-forward neural network...
- ...with hidden layers and non-linearities;
- cross-entropy loss, the next words as the gold predictions.
- Output probability distribution over possible next words across the vocabulary V, using softmax and the second embedding matrix (remember word2vec?).
- Input and output vocabularies can be different.



[Bengio et al, 2001, 2003; Schwenk et al, "Connectionist language modeling for large vocabulary continuous speech recognition", *ICASSP* 2002]

Feedforward neural LM



Feedforward neural LM moving through the text of 'The Hitchhiker's Guide to the Galaxy'

(from Jurafsky and Martin, 2023)

New way: neural language modeling



What about word embeddings?

- The neural LM learns representations for words as a byproduct of the training process.
- Language models are trained on raw texts, no manual annotation needed.
- And we have lots of raw texts.
- Language modeling can be a tool to provide good embeddings for other tasks
  - in addition to being useful in itself (to predict next words or generate text)

Modern LMs

The world is changing fast

- Modern state-of-the-art neural language models are mostly based on recurrent or transformer architectures.
- This online demo uses a Transformer-based GPT-2 model [Radford et al., 2019] for language generation:
  - `https://talktotransformer.com/`
- This online demo uses a Transformer-based T5 model [Raffel et al., 2020] for Norwegian:
  - `https://huggingface.co/spaces/ltg/chat-nort5`
- and of course you are aware of ChatGPT (`https://gpt.uio.no/`)
- More on that in the next lectures.

Contents



1. New way: neural language modeling
   - Feedforward neural LM
   - Modern LMs

2. Benefits and shortcomings

Benefits and shortcomings

Benefits

- Neural models outperform non-neural LMs as measured by perplexity.
- Scale well: higher k leads to linear increase in the parameters number...
- ...in traditional LMs it was exponential.
- Words in different positions share statistical strength.
- Generalizations to unseen data: similar words get similar representations:
  - '*fox eats*': seen 1000 times; '*dog eats*': seen 1000 times; '*wolf eats*': seen 0 times; $\hat{P}([wolf, eats]) \gg 0$, because '*wolf*' is similar to '*fox*' and '*dog*'.
- Can easily add more hidden layers.

Shortcomings

- Expensive softmax over V in the output layer.
- Increasing the output $|V|$ can significantly slow down the network.
- There are ways to deal with this (again, recall word2vec).

References I

- Bengio, Y., Ducharme, R., and Vincent, P. (2003).
  A neural probabilistic language model.
  Journal of Machine Learning Research, 3:1137–1155.
- Radford, A., Wu, J., Child, R., Luan, D., Amodei, D., and Sutskever, I. (2019).
  Language models are unsupervised multitask learners.
  Technical report, OpenAI Blog.
- Raffel, C., Shazeer, N., Roberts, A., Lee, K., Narang, S., Matena, M., Zhou, Y., Li, W., and Liu, P. J. (2020).
  Exploring the limits of transfer learning with a unified text-to-text transformer.
  Journal of Machine Learning Research, 21:1–67.