

INF2100

Løsningsforslag

Uke 36 2018

Oppgave 1

I main/Main.java:

```
System.out.println("This is the INF2100 Asp interpreter (" +  
    version + ")");  
System.out.println("Implemented by Abc Def <xx@student.mn.uio.no> " +  
    "and Ghi Jkl <yy@student.mn.uio.no>");
```

Oppgave 2

Oppgave 2a

+ - * / () e-o-f number

Oppgave 2b

(Denne koden finnes også i ~inf2100/e/e1/.

Main.java

```
class Main {  
    public static void main(String arg[]) {  
        Scanner s = new Scanner(arg[0]);  
        while (true) {  
            System.out.println("Token: " + s.curToken().showInfo());  
            if (s.curToken().kind == TokenKind.eofToken) break;  
            s.readNextToken();  
        }  
    }  
}
```

Scanner.java

```
import java.io.*;
import java.util.*;

class Scanner {
    private LineNumberReader sourceFile = null;
    private ArrayList<Token> curLineTokens = new ArrayList<>();

    public Scanner(String fileName) {
        try {
            sourceFile = new LineNumberReader(
                new InputStreamReader(
                    new FileInputStream(fileName),
                    "UTF-8"));
        } catch (IOException e) { }

        readNextLine();
    }

    public Token curToken() {
        return curLineTokens.get(0);
    }

    public void readNextToken() {
        if (! curLineTokens.isEmpty())
            curLineTokens.remove(0);
    }

    private void readNextLine() {
        String line = null;
        try {
            line = sourceFile.readLine();
        } catch (IOException e) { }

        // Find all the tokens:
        int pos = 0;
        while (pos < line.length()) {
            char c = line.charAt(pos++);

            if (Character.isWhitespace(c)) {
                // Ignore spaces.
            } else if (isDigit(c)) {
                Token t = new Token(TokenKind.integerToken);
                t.integerLit = c - '0';
                curLineTokens.add(t);
            } else if (c == '*') {
                curLineTokens.add(new Token(TokenKind.astToken));
            } else if (c == '(') {
                curLineTokens.add(new Token(TokenKind.leftParToken));
            } else if (c == '-') {
                curLineTokens.add(new Token(TokenKind.minusToken));
            } else if (c == '+') {
                curLineTokens.add(new Token(TokenKind.plusToken));
            } else if (c == ')') {
                curLineTokens.add(new Token(TokenKind.rightParToken));
            } else if (c == '/') {
                curLineTokens.add(new Token(TokenKind.slashToken));
            }
        }
        curLineTokens.add(new Token(TokenKind.eofToken));
    }

    private boolean isDigit(char c) {
        return '0'<=c && c<='9';
    }
}
```

TokenKind.java

```
enum TokenKind {  
    integerToken("integer literal"),  
  
    astToken("*"),  
    leftParToken("("),  
    minusToken("-"),  
    plusToken("+"),  
    rightParToken(")"),  
    slashToken("/"),  
  
    eofToken("E-o-f");  
  
    private String image;  
  
    TokenKind(String im) {  
        image = im;  
    }  
  
    public String toString() {  
        return image;  
    }  
}
```

Token.java

```
class Token {  
    TokenKind kind;  
    long integerLit;  
  
    Token(TokenKind k) {  
        kind = k;  
    }  
  
    String showInfo() {  
        String t = kind + " token";  
        if (kind == TokenKind.integerToken)  
            t += ": " + integerLit;  
        return t;  
    }  
}
```